

AsciiDoc source:

```
[literal,subs="verbatim,quotes"]
----
<xml>
  <param>
    <description>URL containing host and port.</description>
    <key>url</key>
    <values>http://_host_:_1234_/test</values>
  </param>
  <param>
    <description>Multiple host:port delimited by comma.</description>
    <key>hosts_and_ports</key>
    <values>_host1_:1111,_host2_:2222,_host3_:3333</values>
  </param>
</xml>
----
```

Expected result:

```
<xml>
  <param>
    <description>URL containing host and port.</description>
    <key>url</key>
    <values>http://host:1234/test</values>
  </param>
  <param>
    <description>Multiple host:port delimited by comma.</description>
    <key>hosts_and_ports</key>
    <values>host1:1111,host2:2222,host3:3333</values>
  </param>
</xml>
```

Actual result:

```
<xml>
  <param>
    <description>URL containing host and port.</description>
    <key>url</key>
    <values>http://host:_1234_/test</values>
  </param>
  <param>
    <description>Multiple host:port delimited by comma.</description>
    <key>hosts_and_ports</key>
    <values>_host1_:1111,host2:2222,host3:3333</values>
  </param>
</xml>
```

AsciiDoc source:

```
[literal,subs="verbatim,quotes"]
----
<xml>
  <param>
    <description>URL containing host and port.</description>
    <key>url</key>
    <values>http://*host*:*1234*/test</values>
  </param>
  <param>
    <description>Multiple host:port delimited by comma.</description>
    <key>hosts_and_ports</key>
    <values>*host1*:*1111,*host2*:*2222,*host3*:*3333</values>
  </param>
</xml>
----
```

Expected result:

```
<xml>
  <param>
    <description>URL containing host and port.</description>
    <key>url</key>
    <values>http://host:1234/test</values>
  </param>
  <param>
    <description>Multiple host:port delimited by comma.</description>
    <key>hosts_and_ports</key>
    <values>host1:1111,host2:2222,host3:3333</values>
  </param>
</xml>
```

Actual result:

```
<xml>
  <param>
    <description>URL containing host and port.</description>
    <key>url</key>
    <values>http://host:*1234*/test</values>
  </param>
  <param>
    <description>Multiple host:port delimited by comma.</description>
    <key>hosts_and_ports</key>
    <values>*host1*:1111,host2:2222,host3:3333</values>
  </param>
</xml>
```

AsciiDoc source:

```
[literal,subs="verbatim,quotes"]
----
<xml>
  <param>
    <description>URL containing host and port.</description>
    <key>url</key>
    <values>http://*_host_*:*_1234_*/test</values>
  </param>
  <param>
    <description>Multiple host:port delimited by comma.</description>
    <key>hosts_and_ports</key>
    <values>*_host1_*:1111,*_host2_*:2222,*_host3_*:3333</values>
  </param>
</xml>
----
```

Expected result:

```
<xml>
  <param>
    <description>URL containing host and port.</description>
    <key>url</key>
    <values>http://host:1234/test</values>
  </param>
  <param>
    <description>Multiple host:port delimited by comma.</description>
    <key>hosts_and_ports</key>
    <values>host1:1111,host2:2222,host3:3333</values>
  </param>
</xml>
```

Actual result:

```
<xml>
  <param>
    <description>URL containing host and port.</description>
    <key>url</key>
    <values>http://host:*1234*/test</values>
  </param>
  <param>
    <description>Multiple host:port delimited by comma.</description>
    <key>hosts_and_ports</key>
    <values>*host1*:1111,host2:2222,host3:3333</values>
  </param>
</xml>
```